Current version : 2.0.0. issued: 04.08.2015

Trade name: OenoYeast™ Reagent Kit - Solution B Product no.: 05-6001 B

sysmex

Replaced version: 1.1.0. issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

OenoYeast[™] Reagent Kit - Solution B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture laboratory chemicals

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Sysmex Partec GmbH Am Flugplatz 13 02828 Görlitz

Telephone no. +49 3581 8746-0 Fax no. +49 3581 8746-70 e-mail info@sysmex-partec.com

Information provided by / telephone

Dr. Dirk Colditz, Tel. +49 3581 8746-0

Advice on Safety Data Sheet sdb_info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Flam. Lig. 2; H225 STOT SE 3; H336

Label elements 2.2

Signal word

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)


Hazard pictograms



Danger Hazardous component(s) to be indicated on label: acetone **Hazard statements** H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Hazard statements (EU) EUH066 Repeated exposure may cause skin dryness or cracking.

Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015 Replaced ve	ersion: 1.1.0, issued: - Region: G	В
---	------------------------------------	---



P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P261	Avoid breathing vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local and national regulations.
Other hazards	

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

2.3

Hazardous ingredients

No	Substance name		Additional information	
	REACH no		Concentration	%
1	acetone			
	67-64-1	EUH066	< 100.00	%-b.w.
	200-662-2	Eye Irrit. 2; H319		
	606-001-00-8	Flam. Liq. 2; H225		
	01-2119471330-49	STOT SÉ 3; H336		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Call a doctor immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet



Special hazards arising from the substance or mixture

Use self-contained breathing apparatus. Wear protective clothing.

No data available. Personal protective equipment (PPE) - see Section 8.

Refer to protective measures listed in sections 7 and 8.

Product no.: 05-6001 B

5.2

5.3

6.1

6.2

Current version : 2.0.0. issued: 04.08.2015

High power water jet

Advice for firefighters

Unsuitable extinguishing media

SECTION 6: Accidental release measures

For non-emergency personnel

For emergency responders

Environmental precautions

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

Personal precautions, protective equipment and emergency procedures

Reference to other sections 6.4

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Wash hands and skin before breaks and after work. Do not inhale vapours. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Vapours can form an explosive mixture with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage.

Advice on storage assembly

Do not store together with: Oxidizing agents; Acids; Bases

7.3 Specific end use(s)

No data available.

sysmex

Region: GB

Replaced version: 1.1.0. issued: -



Current version : 2.0.0, issued: 04.08.2015

Trade name: OenoYeast™ Reagent Kit - Solution B

Product no.: 05-6001 B

Region: GB

sysmex

Replaced version: 1.1.0, issued: -

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
	2000/39/EWG				
	Acetone				
	TWA	1210	mg/m³	500	ml/m³
	List of approved workplace exposure limits (WELs) /	EH40			
	Acetone				
	STEL	3620	mg/m³	1500	ml/m³
	TWA	1810	mg/m³	500	ml/m³

DNEL and PNEC values

DNEL values (worker)

No	Substance name	bstance name			no
	Route of exposure	oute of exposure Exposure time Effect			
1	acetone			67-64-1 200-662-2	2
	dermal	Long term (chronic)	systemic	186	mg/kg/day
	inhalative	Short term (acut)	local	2420	mg/m³
	inhalative	Short term (acut)	systemic	1210	mg/m³

	DNEL value (consumer)					
No	Substance name	ubstance name			no	
	Route of exposure Exposure time Effect			Value		
1	acetone			67-64-1		
				200-662-	2	
	oral	Long term (chronic)	systemic	62	mg/kg/day	
	dermal	Long term (chronic)	systemic	62	mg/kg/day	
	inhalative	Long term (chronic)	systemic	200	mg/m³	

PNEC values

No	Substance name	ubstance name		0
	ecological compartment	Туре	Value	
1	acetone		67-64-1 200-662-2	
	water	fresh water	10.6	mg/l
	water	marine water	1.06	mg/l
	water	Aqua intermittent	21	mg/l
	water	fresh water sediment	30.4	mg/kg
	water	marine water sediment	3.04	mg/kg
	soil	-	29.5	mg/kg
	sewage treatment plant	-	100	mg/l

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015

Region: GB

sysmex

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product . Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
liquid			
transparent			
Odour			
No data available			
Odour threshold			
No data available			
pH value			
Value		3.6	
Deiling point (boiling range			
Boiling point / boiling range		50	00
Value		56	°C
Reference substance	Acetone		
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value		-17	°C
Reference substance	Acetone		

Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015

Region: GB

sysmex

Auto-ignition temperature No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	_
Upper flammability or explosive limits No data available	
	_
Vapour pressure No data available	
Vapour density	
No data available	_
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility in water No data available	
	_
Solubility(ies) No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	
2 Other information	
Other information	
	_

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

9

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions None, if handled according to order.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials Oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products None, if handled according to intended use.

Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015

Replaced version: 1.1.0, issued: -

Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute	oral toxicity				
	Substance name		CAS no.		EC no.
1 a	icetone		67-64-1		200-662-2
LD50				5800	mg/kg bodyweight
Specie	es	rat			
Metho		OECD 401			
Source	9	ECHA			
Acute	dermal toxicity				
	Substance name		CAS no.		EC no.
1 a	icetone		67-64-1		200-662-2
LD50		>		15800	mg/kg bodyweight
Specie	es	rabbit			
Source	9	ECHA			
Acute	inhalational toxicity				
	Substance name		CAS no.		EC no.
1 a	icetone		67-64-1		200-662-2
LC50				76	mg/l
Duratio	on of exposure			4	h
State of	of aggregation	Vapour			
Specie		rat			
Source	9	ECHA			
Skin c	orrosion/irritation				
No dat	ta available				
Seriou	us eye damage/irritation				
	ta available				
Respi	ratory or skin sensitisation				
-	ta available				
Germ	cell mutagenicity				
	ta available				
Repro	duction toxicity				
-	ta available				
Carcir	nogenicity				
	ta available				
	-single exposure ta available				
	-repeated exposure				
	ta available				
	ation hazard				
No dat	ta available				
Delay	ed and immediate effects as well a	as chronic effects f	rom short an	d long-term	exposure
Inhala	tion of the vapours causes irritation	of the respiratory tra	ct and mucous	s membrane,	headaches, nausea,

Inhalation of the vapours causes irritation of the respiratory tract and mucous membrane, headaches, nausea, giddiners, vomiting. Eye contact with the product may lead to irritation. Frequent persistent contact with the skin can cause skin irritation.



Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015

Replaced version: 1.1.0, issued: -

Region: GB

sysmex

SECTION 12: Ecological information

12.1 Toxicity

No	Substance name	CAS no.		EC no.
1	acetone	67-64-1		200-662-2
LC5	0	5	540	mg/l
Dura	ation of exposure	90	6	h
Spe	cies	Oncorhynchus mykiss		
Sou	rce	ECHA		
Tovi	icity to fish (chronic)			
	lata available			
	city to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	acetone	67-64-1		200-662-2
EC5			800	mg/l
	ation of exposure	4	8	h
	cies	Daphnia pulex		
Sou	rce	ECHA		
Toxi	icity to Daphnia (chronic)			
	lata available			
Toxi	icity to algae (acute)			
No c	lata available			
Toxi	icity to algae (chronic)			
No c	lata available			
Bac	teria toxicity			
	lata available			

12.2 Persistence and degradability

Bioc	legradability				
No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
Туре	9	aerobic biodegradation			
Valu	e		90.9	%	
Dura	ation		28	day(s)	
Meth	nod	OECD 301 B			
Sour	rce	ECHA			
Eval	uation	readily biodegradable			

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	No data available.	
vPvB assessment	No data available.	

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

Product no.: 05-6001 B

Current version : 2.0.0, issued: 04.08.2015

Replaced version: 1.1.0, issued: -

Region: GB

sysmex

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

SECTION 44. Transpo

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SEC	SECTION 14: Transport information			
14.1	Transport ADR/RID/ADN Class Classification code Packing group Hazard identification no. UN number Technical name Tunnel restriction code Label	3 F1 II 33 UN1090 ACETONE solution D/E 3		
14.2	Transport IMDG Class Packing group UN number Proper shipping name EmS Label	3 II UN1090 ACETONE Solution F-E+S-D 3		
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	3 II UN1090 Acetone Solution 3		
14.4	Other information No data available.			
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.			
14.6	Special precautions for user No data available.			
14.7	Transport in bulk according t Not relevant	o Annex II of MARPOL 73/78 and the IBC Code		

EU regulations

Trade name: OenoYeast™ Reagent Kit - Solution B

Product no.: 05-6001 B

15.1

1907/2006

Current version : 2.0.0. issued: 04.08.2015

SECTION 15: Regulatory information

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC)

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

REACH candidate list of substances of very high concern (SVHC) for authorisation

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES			
The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40		

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P5b

Chemical safety assessment 15.2

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH Georg-Wilhelm-Str. 183 . D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.



Replaced version: 1.1.0. issued: -

Region: GB