

Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0. issued: 04.08.2015 Replaced version: 1.1.0. issued: -Region: GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Trade name

### Yeast Control - Viability - Solution A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

laboratory chemicals

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

Sysmex Partec GmbH Am Flugplatz 13 02828 Görlitz

Telephone no. +49 3581 8746-0 Fax no. +49 3581 8746-70 e-mail info@sysmex-partec.com

#### Information provided by / telephone

Dr. Dirk Colditz, Tel. +49 3581 8746-0

#### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336

#### Label elements 2.2

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**





Signal word

Danger

#### Hazardous component(s) to be indicated on label:

acetone

#### **Hazard statements**

Highly flammable liquid and vapour. H225 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Hazard statements (EU)

**EUH066** Repeated exposure may cause skin dryness or cracking.



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P233 Keep container tightly closed. P261 Avoid breathing vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local and national regulations.

#### 2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additional information	
	CAS / EC / Index / REACH no			%
1	acetone			
	67-64-1	EUH066	< 100.00	%-b.w.
	200-662-2	Eye Irrit. 2; H319		
	606-001-00-8	Flam. Liq. 2; H225		
	01-2119471330-49	STOT SE 3; H336		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

#### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

#### After ingestion

Call a doctor immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

#### 6.4 Reference to other sections

No data available.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Wash hands and skin before breaks and after work. Do not inhale vapours. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately.

### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Vapours can form an explosive mixture with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage.

#### Advice on storage assembly

Do not store together with: Oxidizing agents; Acids; Bases

#### 7.3 Specific end use(s)

No data available.



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
	2000/39/EWG				
	Acetone				
	TWA	1210	mg/m³	500	ml/m³
	List of approved workplace exposure limits (WELs) / E	EH40			
	Acetone				
	STEL	3620	mg/m³	1500	ml/m³
	TWA	1810	mg/m³	500	ml/m³

#### **DNEL and PNEC values**

#### **DNEL values (worker)**

No	Substance name		CAS / EC no		
	Route of exposure	Exposure time	Effect	Value	
1	acetone		67-64-1		
				200-662-2	
	dermal	Long term (chronic)	systemic	186	mg/kg/day
	inhalative	Short term (acut)	local	2420	mg/m³
	inhalative	Short term (acut)	systemic	1210	mg/m³

#### **DNEL** value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	acetone		67-64-1		
			200-662-2		
	oral	Long term (chronic)	systemic	62	mg/kg/day
	dermal	Long term (chronic)	systemic	62	mg/kg/day
	inhalative	Long term (chronic)	systemic	200	mg/m³

#### **PNEC** values

	I NEC Values			
No	Substance name			no
	ecological compartment	Туре	Value	
1	acetone		67-64-1	
			200-662-	2
	water	fresh water	10.6	mg/l
	water	marine water	1.06	mg/l
	water	Aqua intermittent	21	mg/l
	water	fresh water sediment	30.4	mg/kg
	water	marine water sediment	3.04	mg/kg
,	soil		29.5	mg/kg
	sewage treatment plant	-	100	mg/l

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

#### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form/Colour				
liquid				
transparent				
Odour				
No data available				
Odour threshold				
No data available				
pH value				
No data available				
Boiling point / boiling range				
Value		56	°C	
Reference substance	Acetone			
Melting point / melting range				
No data available				
Decomposition point / decompos	ition range			
No data available				
Flash point				
Value		-17	°C	
Reference substance	Acetone			



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

#### **Auto-ignition temperature**

No data available

#### Oxidising properties

No data available

#### **Explosive properties**

No data available

#### Flammability (solid, gas)

No data available

#### Lower flammability or explosive limits

No data available

#### Upper flammability or explosive limits

No data available

#### Vapour pressure

No data available

#### Vapour density

No data available

#### **Evaporation rate**

No data available

#### Relative density

No data available

#### Density

No data available

### Solubility in water

No data available

#### Solubility(ies)

No data available

#### Partition coefficient: n-octanol/water

No data available

#### Viscosity

No data available

#### 9.2 Other information

#### Other information

No data available.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

None, if handled according to order.

#### 10.4 Conditions to avoid

None, if handled according to intended use.

#### 10.5 Incompatible materials

Oxidizing agents; strong acids; strong bases

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	acetone		67-64-1		200-662-2		
LD5	0			5800	mg/kg bodyweight		
Spec	cies	rat					
Method		OECD 401					
Soul	rce	ECHA					

Acu	Acute dermal toxicity						
No	Substance name	CAS no	).	EC no.			
1	acetone	67-64-1		200-662-2			
LD5	0	>	15800	mg/kg bodyweight			
Species		rabbit					
Soul	rce	ECHA					

	Acute inhalational toxicity						
No	Substance name		CAS no.		EC no.		
1	acetone		67-64-1		200-662-2		
LC5	0			76	mg/l		
Dura	ation of exposure			4	h		
State of aggregation		Vapour					
Species		rat					
Sou	rce	ECHA					

Skin corrosion/irritation
No data available

### Serious eye damage/irritation

No data available

### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Reproduction toxicity

No data available

#### Carcinogenicity

No data available

### STOT-single exposure

No data available

#### STOT-repeated exposure

No data available

#### Aspiration hazard

No data available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of the vapours causes irritation of the respiratory tract and mucous membrane, headaches, nausea, giddiners, vomiting. Eye contact with the product may lead to irritation. Frequent persistent contact with the skin can cause skin irritation.



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

### SECTION 12: Ecological information

### 12.1 Toxicity

Tox	Toxicity to fish (acute)							
No	Substance name	CAS no.		EC no.				
1	acetone	67-64-1		200-662-2				
LC5	0		5540	mg/l				
Dura	ation of exposure		96	h				
Species		Oncorhynchus mykiss						
Sou	rce	ECHA						

#### Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)						
No	Substance name	CAS no.		EC no.			
1	acetone	67-64-1		200-662-2			
EC5	0		8800	mg/l			
Duration of exposure			48	h			
Species		Daphnia pulex					
Soul	rce	ECHA					

#### **Toxicity to Daphnia (chronic)**

No data available

#### Toxicity to algae (acute)

No data available

#### Toxicity to algae (chronic)

No data available

#### **Bacteria toxicity**

No data available

12.2 Persistence and degradability

Bio	Biodegradability							
No	Substance name	CAS no.		EC no.				
1	acetone	67-64-1		200-662-2				
Туре		aerobic biodegradation						
Value			90.9	%				
Duration			28	day(s)				
Method		OECD 301 B						
Source		ECHA						
Evaluation		readily biodegradable						

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assess	Results of PBT and vPvB assessment				
PBT assessment	No data available.				
vPvB assessment	No data available.				

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

Other information
Do not discharge product unmonitored into the environment.



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0. issued: 04.08.2015 Replaced version: 1.1.0, issued: -Region: GB

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class 3 F1 Classification code Packing group Ш Hazard identification no. 33 UN number UN1090

Technical name **ACETONE** solution

Tunnel restriction code D/E Label

#### 14.2 Transport IMDG

Class 3 Packing group Ш **UN** number UN1090

Proper shipping name **ACETONE Solution** 

**EmS** F-E+S-D

Label

#### 14.3 Transport ICAO-TI / IATA

Class 3 Packing group Ш UN1090 **UN** number Acetone Solution Proper shipping name Label

#### Other information

No data available.

#### **Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### Special precautions for user

No data available.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant



Trade name: Yeast Control - Viability - Solution A

Product no.: 05-6000-02 A

Current version: 2.0.0, issued: 04.08.2015 Replaced version: 1.1.0, issued: - Region: GB

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3, 40 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances			
This product is subject to Part I of Annex I, risk category:	P5b		

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

#### Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183, D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.