

TECHNICAL DATA SHEET

CyFlow™ CD28 FITC Anti-Rt; Clone JJ319

REF CM005264

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Specifications

Antigen	CD28
Alternative Names	Tp44
Clone	JJ319
Clonality	monoclonal
Format	FITC
Host / Isotype	Mouse / IgG1
Species Reactivity	Rat
Negative Species Reactivity	—
Quantity [Concentration]	0.1 mg [0.5 mg/ml]
Immunogen	Mouse A20J B lymphoma cells transfected with rat CD28

Specificity

The mouse monoclonal antibody JJ319 recognizes rat CD28 antigen, a disulfide-linked homodimeric type I glycoprotein (monomer of Mw 44 kDa) which is a critical costimulatory receptor of T cells.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

Application

The reagent is designed for Flow Cytometry analysis. Working concentrations should be determined by the investigator.

Other usages may be determined from the scientific literature.

Storage Buffer

The reagent is provided in phosphate buffered saline (PBS) solution, pH $\approx$ 7.4, containing 0.1% (w/v) sodium azide.

Storage and Stability

Storage	Avoid prolonged exposure to light. Store in the dark at 2-8°C. Do not freeze.
Stability	Do not use after expiration date stamped on vial label.

Background Information

CD28 is the critical T cell costimulatory receptor which provides to the cell the important second activation signal by binding CD80 and CD86 that are expressed by antigen presenting cells. Besides its costimulation role CD28 functions in preventing T cells from anergic hyporesponsive state or from undergoing premature apoptotic cell death. Its analog CTLA-4, expressed on the surface of activated T cells, has higher affinity to CD80 and CD86 than CD28 and downregulates T cell activity.

References

- Tacke M, Hanke G, Hanke T, Hünig T: CD28-mediated induction of proliferation in resting T cells in vitro and in vivo without engagement of the T cell receptor: evidence for functionally distinct forms of CD28. Eur J Immunol. 1997 Jan; 27(1):239-47. < PMID: 9022025 >
- Dengler TJ, Szabo G, Sido B, Nottmeyer W, Zimmerman R, Vahl CF, Hünig T, Meuer SC: Prolonged allograft survival but no tolerance induction by modulating CD28 antibody JJ319 after high-responder rat heart transplantation. Transplantation. 1999 Feb 15; 67(3):392-8. < PMID: 10030284 >
- Robinson LE, Clandinin MT, Field CJ: R3230AC rat mammary tumor and dietary long-chain (n-3) fatty acids change immune cell composition and function during mitogen activation. J Nutr. 2001 Jul; 131(7):2021-7. < PMID: 11435524 >
- Laskowski IA, Pratschke J, Wilhelm MJ, Dong VM, Beato F, Taal M, Gasser M, Hancock WW, Sayegh MH, Tilney NL: Anti-CD28 monoclonal antibody therapy prevents chronic rejection of renal allografts in rats. J Am Soc Nephrol. 2002 Feb; 13(2):519-27. < PMID: 11805183 >

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

- Haspot F, Villemain F, Laflamme G, Coulon F, Olive D, Tiollier J, Soullillou JP, Vanhove B: Differential effect of CD28 versus B7 blockade on direct pathway of allorecognition and self-restricted responses. Blood. 2002 Mar 15; 99(6):2228-34. < PMID: 11877302 >
- Lühder F, Huang Y, Dennehy KM, Guntermann C, Müller I, Winkler E, Kerkau T, Ikemizu S, Davis SJ, Hanke T, Hünig T: Topological requirements and signaling properties of T cell-activating, anti-CD28 antibody superagonists. J Exp Med. 2003 Apr 21; 197(8):955-66. < PMID: 12707299 >
- van den Brandt J, Wang D, Reichardt HM: Resistance of single-positive thymocytes to glucocorticoid-induced apoptosis is mediated by CD28 signaling. Mol Endocrinol. 2004 Mar; 18(3):687-95. < PMID: 14701943 >
- Kerstan A, Armbruster N, Leverkus M, Hünig T: Cyclosporin A abolishes CD28-mediated resistance to CD95-induced apoptosis via superinduction of caspase-3. J Immunol. 2006 Dec 1; 177(11):7689-97. < PMID: 17114439 >
- Guillonnet C, Séveno C, Dugast AS, Li XL, Renaudin K, Haspot F, Usal C, Veziers J, Anegón I, Vanhove B: Anti-CD28 antibodies modify regulatory mechanisms and reinforce tolerance in CD40lg-treated heart allograft recipients. J Immunol. 2007 Dec 15; 179(12):8164-71. < PMID: 18056359 >

The Safety Data Sheet for this product is available at www.sysmex-partec.com/services.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com