

TECHNICAL DATA SHEET

CyFlow™ CD9 FITC **Anti-Ms; Clone EM-04**

REF BL581262

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Specifications

Antigen	CD9
Alternative Names	MRP-1, P24
Clone	EM-04
Clonality	monoclonal
Format	FITC
Host / Isotype	Rat / IgG1
Species Reactivity	Mouse
Negative Species Reactivity	—
Quantity [Concentration]	0.1 mg [0.5 mg/ml]
Immunogen	Permeabilized murine bone marrow-derived mast cells (BMMC)

Specificity

The rat monoclonal antibody EM-04 recognizes mouse CD9 antigen, a 24 kDa transmembrane protein expressed on platelets, monocytes, pre-B lymphocytes, granulocytes and activated T lymphocytes.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

Application

The reagent is designed for Flow Cytometry analysis. Suggested working usage is 6 µg/ml. Indicated dilution is recommended starting point for use of this product, but working concentrations should be validated by the investigator.

Other usages may be determined from the scientific literature.

Storage Buffer

The reagent is provided in phosphate buffered saline (PBS) solution, pH ≈7.4, containing 0.1% (w/v) sodium azide.

Storage and Stability

Storage	Avoid prolonged exposure to light. Store in the dark at 2-8°C. Do not freeze.
Stability	Do not use after expiration date stamped on vial label.

Background Information

CD9 belongs to proteins of tetraspanin family that orchestrate cholesterol-associated tetraspanin-enriched signaling microdomains within the plasma membrane, forming complexes with each other as well as with integrins, membrane-anchored growth factors and other proteins. CD9 is involved in cell motility, osteoclastogenesis, neurite outgrowth, myotube formation, and sperm-egg fusion, plays roles in cell attachment and proliferation and is necessary for association of heterologous MHC II molecules on the dendritic cell plasma membrane which is important for effective T cell stimulation. CD9 is also considered as metastasis suppressor in solid tumors.

References

- Schmidt C, Künemund V, Wintergerst ES, Schmitz B, Schachner M: CD9 of mouse brain is implicated in neurite outgrowth and cell migration in vitro and is associated with the alpha 6/beta 1 integrin and the neural adhesion molecule L1. J Neurosci Res. 1996 Jan 1; 43(1):11658. < PMID: 8838570 >
- Le Naour F, Rubinstein E, Jasmin C, Prenant M, Boucheix C: Severely reduced female fertility in CD9-deficient mice. Science. 2000 Jan 14; 287(5451):319-21. < PMID: 10634790 >
- Liu WM, Cao YJ, Yang YJ, Li J, Hu Z, Duan EK: Tetraspanin CD9 regulates invasion during mouse embryo implantation. J Mol Endocrinol. 2006 Feb; 36(1):121-30. < PMID: 16461932 >

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

- Unternaehrer JJ, Chow A, Pypaert M, Inaba K, Mellman I: The tetraspanin CD9 mediates lateral association of MHC class II molecules on the dendritic cell surface. Proc Natl Acad Sci USA. 2007 Jan 2; 104(1):234-9. < PMID: 17190803 >
- Kotha J, Zhang C, Longhurst CM, Lu Y, Jacobs J, Cheng Y, Jennings LK: Functional relevance of tetraspanin CD9 in vascular smooth muscle cell injury phenotypes: a novel target for the prevention of neointimal hyperplasia. Atherosclerosis. 2009 Apr; 203(2):377-86. < PMID: 18799160 >
- Athman JJ, Wang Y, McDonald DJ, Boom WH, Harding CV, Wearsch PA: Bacterial Membrane Vesicles Mediate the Release of Mycobacterium tuberculosis Lipoglycans and Lipoproteins from Infected Macrophages.. J Immunol. 2015 Aug 1; 195(3):1044-53. < PMID: 26109643 >

The Safety Data Sheet for this product is available at www.sysmex-partec.com/services.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com