

TECHNICAL DATA SHEET

CyFlow™ FoxP3 APC Anti-Hu/Ms; Clone 3G3

REF AF675641

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Specifications

Antigen	FoxP3
Alternative Names	foxp3 ,Forkhead box P3 ,IPEX ,JM2 ,MGC141961 ,MGC141963 ,PIDX ,XPID
Clone	3G3
Clonality	monoclonal
Format	APC
Host / Isotype	Mouse / IgG1
Species Reactivity	Human Mouse
Negative Species Reactivity	—
Quantity [Concentration]	0.1 mg [0.5 mg/ml]
Immunogen	Full-length His-tagged recombinant murine FoxP3

Specificity

The mouse monoclonal antibody 3G3 recognizes N-terminal region of FoxP3 antigen, a 47-55 kDa transcription factor, which is the master regulator in the development and function of regulatory T cells.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

Application

The reagent is designed for Flow Cytometry analysis. Working concentrations should be determined by the investigator.

Other usages may be determined from the scientific literature.

Storage Buffer

The reagent is provided in phosphate buffered saline (PBS) solution, pH $\approx$ 7.4, containing 0.1% (w/v) sodium azide.

Storage and Stability

Storage	Avoid prolonged exposure to light. Store in the dark at 2-8°C. Do not freeze.
Stability	Do not use after expiration date stamped on vial label.

Background Information

FoxP3 (Forkhead box protein 3), a highly conserved forkhead/winged-helix transcription factor, plays a crucial role in maintaining immune homeostasis by governing the development and function of regulatory T cells. It is constitutively expressed at high level in CD25+ CD4+ Treg cells and at low level in a CD25- CD4+ Treg cell subset. Defects in gene encoding FoxP3 protein cause the scurfy phenotype in mice, and in human the IPEX syndrome (immune dysfunction, polyendocrinopathy, enteropathy, X-linked syndrome), also known as X-linked autoimmunity-allergic dysregulation (XLAAD) syndrome.

References

- Gavin MA, Torgerson TR, Houston E, DeRoos P, Ho WY, Stray-Pedersen A, Ocheltree EL, Greenberg PD, Ochs HD, Rudensky AY: Single-cell analysis of normal and FOXP3-mutant human T cells: FOXP3 expression without regulatory T cell development. Proc Natl Acad Sci USA. 2006 Apr 25; 103(17):6659-64. < PMID: 16617117 >
- Elkord E: Novel therapeutic strategies by regulatory T cells in allergy. Chem Immunol Allergy. 2008; 94:150-7. < PMID: 18802345 >
- Bettini M, Vignali DA: Regulatory T cells and inhibitory cytokines in autoimmunity. Curr Opin Immunol. 2009 Dec; 21(6):612-8. < PMID: 19854631 >

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com

- Law JP, Hirschhorn DF, Owen RE, Biswas HH, Norris PJ, Lanteri MC: The importance of Foxp3 antibody and fixation/permeabilization buffer combinations in identifying CD4+CD25+Foxp3+ regulatory T cells. Cytometry A. 2009 Dec; 75(12):1040-50. < PMID: 19845018 >
- Kuhn A, Beissert S, Krammer PH: CD4(+)CD25 (+) regulatory T cells in human lupus erythematosus. Arch Dermatol Res. 2009 Jan; 301(1):71-81. < PMID: 18985367 >
- Barnes MJ, Powrie F: Regulatory T cells reinforce intestinal homeostasis. Immunity. 2009 Sep 18; 31(3):401-11. < PMID: 19766083 >
- Lal G, Bromberg JS: Epigenetic mechanisms of regulation of Foxp3 expression. Blood. 2009 Oct 29; 114(18):3727-35. < PMID: 19641188 >

The Safety Data Sheet for this product is available at www.sysmex-partec.com/services.

Contact Information:

Sysmex Partec GmbH • Am Flugplatz 13 • 02828 Görlitz • Germany
Tel +49 3581 8746 0 • Fax +49 3581 8746 70 • E-mail: info@sysmex-partec.com